

2008

1. **Almogi-Labin, A., Edelman-Furstenberg, Y. & Ch. Hemleben.**
Variations in the biodiversity of thecosomatous pteropods during the Late Quaternary as a response to environmental changes in the Gulf of Aden - Red Sea - Gulf of Aqaba ecosystem. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem; 2008]; pp.31-48.
2. **Amar, K-O., Douek, J., Rabinowitz, C. & B. Rinkevich.**
Employing of the amplified fragment length polymorphism (AFLP) methodology as an efficient population genetic tool for symbiotic cnidarians. [Mar. Biotechnol.]; 2008; 10(350-357).
3. **Amar, K.O., Chadwick, N.E. & B. Rinkevich.**
Coral kin aggregations exhibit mixed allogeneic reactions and enhanced fitness during early ontogeny. [BMC Evol. Biol.]; 2008; 8:126.
4. **Bar-El, T., Ashkenazi, S. & F.D. Por.**
The database and collections of DCPE (Data Collecting Program Eilat, 1974-1977) an available tool for research and for monitoring changes in the Gulf of Aqaba-Eilat. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem]; pp. 459-463.
5. **Belmaker, J., Ziv, Y., Shashar, N., Connolly, S.R.**
Regional variation in the hierarchical partitioning of diversity in coral-dwelling fishes. [Ecology]; 2008; 89(2829-2840).
6. **Ben-Avraham, Z., Lazar, M., Ballard, R.D. & F.D. Por.**
Microtopography of a continental rift zone: the Gulf of Eilat (Aqaba). Indications of hydrothermal-connected biological activity. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation. (F.D. Por (Ed.); The Hebrew University Magnum Press, Jerusalem; 2008]; pp. 15-20.
7. **Ben-Tzvi, O., Kiflawi, M., Gaines, S.D., Al-Zibdah, M., Sheehy, M.S., Paradis, G.L. & A. Abelson.**
Tracking recruitment pathways of *Chromis viridis* in the Gulf of Aqaba using otolith chemistry. [Mar. Ecol. Prog. Ser.]; 2008; 359(229-238).
8. **Ben-Tzvi, O., Abelson, A., Polak, O. & M. Kiflawi.**
Habitat selection and the colonization of new territories by *Chromis viridis*. [J. Fish Biol.]; 2008; 73(1005-1018).
9. **Biton, E., Silverman, J. & H. Gildor.**
Observations and modeling of a pulsating density current. [Geophys. Res. Letts.]; 2008; 35(L14603).
10. **Bottger-Schnack, R., Schnack, D. & W. Hagen.**
Microcopepod community structure in the Gulf of Aqaba and northern Red Sea, with special reference to Oncaeidae. [J. Plank. Res.]; 2008; 30(529-550).
11. **Brokovich, E.**
Coral reef fish assemblages in the upper twilight zone (<65m). [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem]; pp. 255-266.
12. **Brokovich, E., Einbinder, S., Shashar, N., Kiflawi, M. & S. Kark.**

- Descending to the twilight-zone: changes in coral reef fish assemblages along a depth gradient down to 65m. [Mar. Ecol. Prog. Ser.]; 2008; 371(253-262).
13. **Castruita, M., Shaked, Y., Elmegreen, L.A., Stiefel, E.I. & F.M.M. Morel.**
Availability of iron and iron-storage proteins to marine phytoplankton. [Limnol. Oceanogr.]; 2008; 53(890-899).
 14. **Chadwick, N., Duris, Z & I. Horka.**
Biodiversity of and behavior of shrimps and fishes symbiotic with sea anemones in the Gulf of Aqaba, northern Red Sea. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem]; pp. 209-224.
 15. **Chen, Y., Paytan, A., Chase, Z., Measures, C., Beck, A.J., Sanudo-Wilhelmy, S.A. & A.F. Post.**
Sources and fluxes of atmospheric trace elements to the Gulf of Aqaba, Red Sea. [J. Geophys. Res.]; 2008; 113(D05306).
 16. **Claessens, M., Wickham, S.A., Post. A.F. & M. Reuter.**
Ciliate community in the oligotrophic Gulf of Aqaba, Red Sea. [Aquat. Microb. Ecol.]; 2008; 53(181-190).
 17. **Dafni, J.**
Diversity and recent changes in the echinoderm fauna of the Gulf of Aqaba, with emphasis on the echinoids. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem]; pp. 225-242
 18. **Darmaillacq, A.S. & N. Shashar.**
Lack of polarization optomotor response in the cuttlefish *Sepia elongata* (d'Orbigny, 1845). [Physiol. Behav.]; 2008; 94(616-620).
 19. **Dufresne, A., Ostrowski, M., Scanlan, D.J., Garczarek, L., Mazard, S., Palenik, B.P., Paulsen, I.T., de Marsac, N.T., Wincker, P., Dossat, C., Ferriera, S., Johnson, J., Post, A.F., Hess, W.R. & F. Partensky.**
Unraveling the genomic mosaic of a ubiquitous genus of marine cyanobacteria. [Genome Biology]; 2008; 9(R90).
 20. **Elevi Bardavid, R., Khristo, P. & A. Oren.**
Interrelationships between *Dunaliella* and halophilic prokaryotes in saltern crystallizer ponds. [Extremophiles]; 2008; 12(5-14).
 21. **Elevi Bardavid, R. & A. Oren.**
Dihydroxyacetone metabolism in *Salinibacter ruber* and in *Haloquadratum walsbyi*. [Extremophiles]; 2008; 12(125-131).
 22. **Fishelson, L. & O. Gon.**
Comparative oogenesis in cardinal fishes (Apogonidae, Perciformes), with special focus on the adaptive structures of the egg envelopes. [Environ. Biol. Fish]; 2008; 81(397-414).
 23. **Genin, A.**
The physical settings of the Gulf of Aqaba: an explanation for a unique occurrence of tropical communities in the subtropics. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation. (F.D. Por (Ed.); The Hebrew University Magnum Press, Jerusalem; 2008]; pp. 15-20.
 24. **Golani, D., Lerner, A. & B. Appelbaum-Golani.**

- Fish diversity in the sandy shore of the Gulf of Eilat in close proximity to nearby fish farm activity. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem]; pp. 267-280.
25. **Goodman, B., Reinhardt, E., Dey, H., Boyce, J., Schwarcz, H., Sahoglu, V., Erkanal, H. & M. Artzy.**
Evidence for holocene marine transgression and shoreline progradation due to barrier development in Iskele, Bay of Izmir, Turkey. [J. Coast. Res.]; 2008; 24(1269-1280).
 26. **Goren, M.**
The fishes of the Red Sea: History of research, biogeography and biodiversity. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem]; pp. 243-253
 27. **Hadas, E., Ilan, M., Shpigel.**
Oxygen consumption by a coral reef sponge. [J. Exp. Biol.]; 2008; 211(2185-2190).
 28. **Halicz, L., Segal, I., Fruchter, N., Stein, M. & B. Lazar.**
Strontium stable isotopes fractionate in the soil environments? [Earth & Planet. Sci. Letts.]; 2008; 272(406-411).
 29. **Hall-Spencer, J.M., Rodolfo-Metalpa, R., Martin, S., Ransome, E., Fine, M., Turner S.M., Rowley, S. Tedesco, D. & M.C. Buia.**
Volcanic carbon dioxide vents reveal ecosystem effects of ocean acidification. [Nature]; 2008; 454(96-99).
 30. **Harel, M., Ben-Dov., E., Rasoulouniriana, D., Siboni, N., Kramarsky-Winter, E., Barak, Z., Wiseman, Z. & A. Kushmaro.**
A new Thraustochytrid, strain *Fng1*, isolated from the surface-mucus of the hermatypic coral *Fungia granulosa*. [FEMS Microbiol. Ecol.]; 2008; 64(378-387).
 31. **Iluz, D., Yehoshua, Y. & Z. Dubinsky.**
Quantum yields of phytoplankton photosynthesis in the Gulf of Aqaba (Elat), Northern Red Sea. [Isr. J. Plant Sci.]; 2008; 56(29-36).
 32. **Kamennaya, N.A., Chernihovsky, M. & A.F. Post**
The cyanate utilization capacity of marine unicellular cyanobacteria. [Limnol. Oceanogr.]; 2008; 53(2485-2494).
 33. **Kimor, B.**
Salient features of the microplankton of the Gulf of Aqaba. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : (F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem; 2008]; pp. 97-209.
 34. **Kisakurek, B., Eisenhauer, A., Bohm, F., Gare-Schonberg, D. & J. Erez.**
Controls on shell Mg/Ca and Sr/Ca in cultured planktonic foraminiferan, *Globigerinoides ruber* (white). [Earth & Planet. Sci. Letts.]; 2008; 273(260-269).
 35. **Kuguru, B., Chadwick, N.E., Achituv, Y., Zandbank, K. & D. Tchernov.**
Mechanisms of habitat segregation between corallimorpharians: photosynthetic parameters and *Symbiodinium* types. [Mar. Ecol. Prog. Ser.]; 2008(115-129).
 36. **Lampert, Y., Kelman, D., Nitzan, Y., Dubinsky, Z., Behar, A. & R.T. Hill.**
Phylogenetic diversity of bacteria associated with the mucus of Red Sea corals. [FEMS Microbiol. Ecol.]; 2008; 64(187-198).

- 37. Lampert-Karako, S., Stambler, N., Katcoff, D.J., Achituv, Y., Dubinsky, Z & N. Simon-Blecher.**
Effects of depth and eutrophication on the zooxanthella clades of *Stylophora pistillata* from the Gulf of Eilat (Red Sea). [Aquat. Conserv. Mar. Freshw. Ecosyst.]; 2008; 18(1039-1045).
- 38. Lampert, Y., Kelman, D., Dubinsky, Z., Nitzan, Y. & R.T. Hill.**
The biodiversity of coral-associated bacteria of the Gulf of Eilat. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem; 2008]; pp.75-95.
- 39. Lazar, B., Erez, J., Silverman, J., Rivlin, T., Rivlin, A., Dray, M., Meeder, E & D. Iluz.**
Recent environmental changes in the chemical-biological oceanography of the Gulf of Aqaba (Eilat). [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : (F.D. Por (Ed.); The Hebrew University Magnum Press, Jerusalem; 2008]; pp. 49-61.
- 40. Lee, J.**
New knowledge on the biology of larger foraminifera and microforaminifera gained from investigations at the Heinz Steinitz IUI laboratory. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem]; pp. 417-438.
- 41. Makovsky, Y., Wunch, A., Ariely, R., Shaked, Y., Rivlin, A., Shemesh, A., Ben-Avraham, Z. & A. Agnon.**
Quaternary transform kinematics constrained by sequence stratigraphy and submerged coastline features: The Gulf of Aqaba. [Earth & Planet. Sci. Letts.]; 2008; 271(109-122).
- 42. Mass, T. & A. Genin**
Environmental versus intrinsic determination of colony symmetry in the coral *Pocillopora verrucosa*. [Mar. Ecol. Prog. Ser.]; 2008; 369(131-137).
- 43. Morel, F.M.M., Kustka, A.B. & Y. Shaked.**
The role of unchelated Fe in the iron nutrition of phytoplankton. [Limnol. Oceanogr.]; 2008; 51(400-404).
- 44. Perelis-Grossowicz, L., Edelman-Furstenberg, Y. & A. Almogi-Labin.**
Characteristics of the shallow-water benthic foraminifera in the northernmost Gulf of Eilat. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem]; pp. 439-458.
- 45. Perkol-Finkel, S., Zilman, G., Sella, I., Miloh, T & Y. Benayahu.**
Floating and fixed artificial habitats: Spatial and temporal patterns of benthic communities in a coral reef environment. [Estuar. Coast. Shelf S.]; 2008; 77(491-500).
- 46. Por, F.D.**
Life beyond salinity 41 ppm: Metahaline environments and anchialine pools in the Gulf of Aqaba-Eilat. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation; F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem; 2008]; pp. 135-152.
- 47. Post, A.F., Golan, D., Zandbank, K. & S. Penno.**
Phytoplankton communities of the Gulf of Aqaba, northern Red Sea. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem; 2008]; pp.119-133.
- 48. Reshef, L., E.Z. Ron & E. Rosenberg.**

- Genome analysis of the coral bleaching pathogen *Vibrio shiloi*. [Arch. Microbiol]; 2008; 190(185-194).
- 49. Rinkevich, B.**
Biodiversity and active conservation of Eilat's reef: Past and future considerations. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem]; pp. 299-320.
- 50. Roff, G., Kvennefors, E.C.E., Ulstrup, K., Fine, M. & O. Hoegh-Guldberg.**
Coral disease physiology: the impact of Acroporid white syndrome on Symbiodinium. [Coral Reefs]; 2008; 27(373-377).
- 51. Roillon-Bard, C., Erez, J. & T. Zilberman.**
Intra-shell oxygen isotope ratios in the benthic foraminifera genus *Amphistegina* and the influence of seawater carbonate chemistry and temperature on this ratio. Geochim. Cosmochim.]; 2008; 72(6006-6014).
- 52. Roff, G., Ulstrup, K.E., Fine, M., Ralph, P.J. & O. Hoegh-Guldberg.**
Spatial heterogeneity of phytosynthetic activity within diseased corals from the Great Barrier Reef. [J. Phycol.]; 2008; 44:526-538.
- 53. Scanlan, D.J. & A.F. Post.**
Aspects of marine cyanobacterial nitrogen physiology and connection to the nitrogen cycle. [In: Nitrogen in the Marine Environment. Eds. Capone, D.G., Bronk, D.A., Mulholland, M.R. & E.J. Carpenter; Elsevier Inc.; 2008]. pp.1073-1095.
- 54. Schnack-Schiel, S.B., Niehoff, B., Hagen, W., Bottger-Schnack, R., Cornils, A., Dowidar, M.M., Pasternak, A., Stambler, N., Stubing, D. & C. Richter.**
Population dynamics and life strategies of *Rhincalanus nasutus* (Copepoda) at the onset of the spring bloom in the Gulf of Aqaba (Red Sea). [J. Plank. Res.]; 2008; 30(655-672).
- 55. Shaked, Y.**
Iron redox dynamics in the surface waters of the Gulf of Aqaba, Red Sea. [Geochim. Cosmochim. Acta]; 2008; 72(1540-1554)..
- 56. Sharon, Y. & S. Beer.**
Diurnal movements of chloroplasts in *Halophila stipulacea* and their effect on PAM fluorometric measurements of photosynthetic rates. [Aquat. Bot.]; 2008; 88(273-276).
- 57. Shenkar, N., Zeldman, Y., Loya, Y.**
Ascidian recruitment patterns on an artificial reef in Eilat (Red Sea). [Biofouling]; 2008; 24(119-128).
- 58. Shenkar, N., Bronstein, O. & Y. Loya**
Population dynamics of a coral reef ascidian in a deteriorating environment. [Mar. Ecol. Prog. Ser.]; 2008; 367(163-171).
- 59. Shenkar, N. & Y. Loya.**
The solitary ascidian *Herdmania momus*: native (Red Sea) versus non-indigenous (Mediterranean) populations. [Biol. Invasions]; 2008; 10(1431-1439).
- 60. Shenkar, N. & Y. Loya.**
New data on the ascidian fauna of the Gulf of Eilat (Aqaba). [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem]. pp. 196-208.

- 61. Siboni, N., Ben-Dov-E., Sivan, A. & A. Kushmaro.**
Global distribution and diversity of coral-associated Archaea and their possible role in the coral holobiont nitrogen cycle. [Environ. Micro.]; 2008; 10(2979-2990).
- 62. Silverman, J. & H. Gildor.**
The residence time of an active versus a passive tracer in the Gulf of Aqaba: A box model approach. [J. Mar. Syst.]; 2008; 71(159-170).
- 63. Smith, D.G., Brokovich, E. & S. Einbinder.**
Gymnothorax barenesi, a new moray eel (Anguilliformes: Muraenidae) from the Red Sea. [Zootaxa]; 2008; 1678(63-68).
- 64. Spanier, E. & D. Angel.**
Benthic artificial reefs and midwater artificial substrates in the northern Gulf of Aqaba: Biodiversity and potential environmental applications. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem]; pp. 281-298.
- 65. Stambler, N., Levy, O. & L. Vaki.**
Photosynthesis and respiration of hermatypic zooxanthellate Red Sea corals from 5-75m depth. [Isr. J. Plant Sci.]; 2008; 56(45-53).
- 66. Stambler, N.**
Light, pico-phytoplankton and coral in the blue waters of the Gulf of Eilat. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem; 2008]; pp. 63-74.
- 67. Tchernov, D. & F. Lipschultz.**
Carbon isotopic composition of *Trichodesmium* spp. colonies off Bermuda: effects of colony mass and season. [J. Plankton Res.]; 2008; 30(21-31).
- 68. Tchernov, D. & F. Lipschultz.**
Carbon isotopic composition of *Trichodesmium* spp. colonies off Bermuda: effects of colony mass and season. [J. Plankton Res.]; 2008; 30(21-31).
- 69. Yahel, G., Yahel, R., Katz, T., Lazar, B., Herut, B. & V. Tunnicliffe.**
Fish activity: a major mechanism for sediment resuspension and organic matter remineralization in coastal marine sediments. [Mar. Ecol. Prog. Ser.]; 2008; 372(195-209).
- 70. Yonow, N.**
Opistobranchs of the Gulf of Eilat and the Red Sea: an account of similarities and differences. [In: Aqaba-Eilat, the Improbable Gulf - Environment, Biodiversity and Preservation : F.D. Por (Ed.), The Hebrew University Magnum Press, Jerusalem]; pp. 177-196.
- 71. Zeevi-Ben-Yosef, D & Y. Benayahu.**
Synergistic effects of UVR and temperature on the survival of azooxanthellate and zooxanthellate early development stages of soft corals. [Bull Mar. Sci.]; 2008; 83(401-414).
- 72. Zeevi Ben-Yosef, D., Ben-Dov, E. & A. Kushmaro.**
Amorphus coralli gen. nov., sp. nov., a marine bacterium isolated from coral mucus, belonging to the order *Rhizobiales*. [J. Syst. Evol. Microbiol.]; 2008; 58(2704-2709).
- 73. Zeevi Ben-Yosef, D., Kashman, Y. & Y. Benayahu.**
Mycosporine-like amino acids in azooxanthellate and zooxanthellate early developmental stages of the soft coral *Heteroxenia fuscescens*. [J. Exp. Mar. Biol. Ecol.]; 2008; 355(12-17).

- 74. Zurel, D., Shaham, O., Brickner, Y. & Y. Benayahu.**
DAPI-based vital staining reveals entry of heterologous zooxanthellae into primary polyps of a vertically-transmitting soft coral. [Symbiosis]; 2008; 46(145-152).
- 75. Zvuloni, A., Artzy-Randrup, Y., Stone, L., van Woesik, R. & Y. Loya.**
Ecological size-frequency distributions: how to prevent and correct biases in spatial sampling. [Limnol. Oceanogr.: Methods]; 2008; 6(114-152).
- 76. Zvuloni, A., Mokady, O., Al-Zibdah, M., Bernardi, G., Gaines, S.D. & A. Abelson.**
Local scale genetic structure in coral populations: A signature of selection. [Mar. Poll. Bull.]; 2008; 56(430-438).
- 77. Zvuloni, A., Armoza-Zvuloni, R. & Y. Loya.**
Structural deformation of branching corals associated with the vermetid gastropod *Dendropoma maxima*. [Mar. Ecol. Prog. Ser.]; 2008; 363(103-108).