

2012

1. **Aharonovich, D. & Y. Benayahu.**
Microstructure of octocoral sclerites for diagnosis of taxonomic features. [Mar. Biodiv.]; 2012; 42(173-174).
2. **Armoza-Zvuloni, R., Kramarsky-Winter, E., Rosenfeld, H., Shore, L.S., Segal, R., Sharon, D. & Y. Loya.**
Reproductive characteristics and steroid levels in the scleractinian coral *Oculina patagonica* inhabiting contaminated sites along the Israeli Mediterranean coast. [Mar. Poll. Bull.]; 2012; 64(1556-1563).
3. **Avrani, S., Schwartz, D.A. & D. Lindell.**
Virus-host swinging party in the oceans: Incorporating biological complexity into paradigms of antagonistic coexistence. [Mobile Genetic Elements]; 2012; 2(88-95).
4. **Barneah, O., Ben-Dov, E., Benayahu, Y., Brickner, I. & A. Kushmaro.**
Molecular diversity and specificity of acoel worms associated with corals in the Gulf of Eilat (Red Sea). [Aquat. Biol.]; 2012; 14(277-281).
5. **Ben-Tzvi, O., Abelson, A., Gaines, S.D., Bernardi, G., Beldade, R., Sheehy, M.S., Paradis, G.L. & M. Kiflawi.**
Evidence for cohesive dispersal in the sea. [PLoS One]; 2012; 7(e42672).
6. **Black, K.D., Calder, L.A., Nickell, T.D., Sayer, M.D.J., Orr, H., Brand, T., Cook, E.J., Magill, S.H., Katz, T., Eden, N., Jones, K.J., Tsapakis, M. & D. Angel.**
Chlorophyll, lipid profiles and bioturbation in sediments around a fish cage farm in the Gulf of Eilat, Israel. [Aquaculture]; 2012; 356-357(317-327).
7. **Carlson, D.F., Fredj, E., Gildor, H., Biton, E., Steinbuck, J.V., Monismith, S.G. & A. Genin.**
Observations of tidal currents in the northern Gulf of Eilat/Aqaba (Red Sea). [J. Mar. Syst.]; 2012; 101-102(14-28).
8. **D'Angelo, D., Smith, E.H., Oswald, F., Burt, J., Tchernov, D. & J. Wiedenmann.**
Locally accelerated growth is part of the innate immune response and repair mechanisms in reef-building corals as detected by green fluorescent protein (GFP)-like pigments. [Coral Reefs]; 2012; 31(1045-1056).
9. **Dishon, G., Dubinsky, Z., Caras, T., Rahav, E., Bar-Zeev, E., Tzuber, Y. & D. Iluz.**
Optical habitats of ultraphytoplankton groups in the Gulf of Eilat (Aqaba), northern Red Sea. [Intl. J. Remote Sensing]; 2012; 33(2683-2705).
10. **Dishon, G., Dubinsky, Z., Fine, M. & D. Iluz.**
Underwater light field patterns in subtropical coastal waters: A case study from the Gulf of Eilat (Aqaba). [Isr. J. Plant Sci.]; 2012; 60(265-275).
11. **Dunckley, J.F., Koseff, J.R., Steinbuck, J.V., Monismith, S.G. & A. Genin.**
Comparison of mixing efficiency and vertical diffusivity models from temperature microstructure. [J. Geophys. Res.]; 2012; 117(C10008).
12. **Golani, D. & G. Bernardi.**
Differential invading potential among cryptic species of blotchfin dragonet, *Callionymus filamentosus*, a Lessepsian bioinvader. [Mar. Ecol. Prog. Ser.]; 2012; 450(159-166).

13. **Grossowicz, M. & Y. Benayahu.**
Differential morphological features of two *Dendronephythya* soft coral species suggest differences in feeding niches. [Mar. Biodiv.]; 2012; 42(65-72).
14. **Holzman, R., Collar, D.C., Mehta, R.S. & P.C. Wainwright.**
An integrative modeling approach to elucidate suction-feeding performance. [J. Exp. Biol.]; 2012; 215(1-13).
15. **Holzman, R., Collar, D.C., Price, S.A., Hulsey, C.D., Thomson, R.C. & P.C. Wainwright.**
Biomechanical trade-offs bias rates of evolution in the feeding apparatus of fishes. [Proc. R. Soc. B]; 2012; 279(1287-1292).
16. **Atad, I., Zvuloni, Z., Loya, Y. & E. Rosenberg.**
Phage therapy of the white plague-like disease of *Favia fava* in the Red Sea. [Coral Reefs]; 2012; 31(665-670).
17. **Josef, N., Amodio, P., Fiorito, G. & N. Shashar.**
Camouflaging in a complex environment - octopuses use specific features of their surroundings for background matching. [PLoS One]; 2012; 7(e37579).
18. **Katz, T., Yahel, G., Reidenbach, M., Tunnicliffe, V., Herut, B., Crusius, J., Whitney, F., Snelgrove, P.V.R. & B. Lazar.**
Resuspension by fish facilitates the transport and redistribution of coastal sediments. [Limnol. Oceanogr.]; 2012; 57(945-958).
19. **Marra, J., Capuzzo, E. & V. Montecino.**
Potential grazing effects in incubations with 14C. [Aquat. Biol.]; 2012; 14(283-288).
20. **Meeder, E., Mackey, K.R.M., Paytan, A., Shaked, Y., Iluz, D., Stambler, N., Rivlin, T., Post, A.F. & B. Lazar.**
Nitrite dynamics in the open ocean - clues from seasonal and diurnal variations. [Mar. Ecol. Prog. Ser.]; 2012; 453(11-26).
21. **Meron, D., Rodolfo-Metalpa, R., Cunning, R., Baker, A.C., Fine, M. & E. Banin.**
Changes in coral microbial communities in response to a natural pH gradient. [The ISME Journal]; 2012; 1-11.
22. **Oufiero, C.E., Holzman, R.A., Young, F.A. & P. Wainwright.**
New insights from serranid fishes on the role of trade-offs in suction-feeding diversification. [J. Exp. Biol.]; 2012; 215(3845-3855).
23. **Polak, O. & N. Shashar.**
Can a small artificial reef reduce diving pressure from a natural coral reef? Lessons learned from Eilat, Red Sea. [Ocean & Coast. Manage.]; 2012; 55(94-100).
24. **Post, A.F., Rihtman, B. & Q. Wang.**
Decoupling of ammonium regulation and ntcA transcription in the diazotrophic marine cyanobacterium *Trichodesmium* sp. IMS101. [The ISME Journal]; 2012; 6(629-637).
25. **Sabehi, G., Shaulov, L., Silver, D.H., Yanai, I., Harel, A. & D. Lindell.**
A novel lineage of myoviruses infecting cyanobacteria is widespread in the oceans. [PNAS]; 2012; 109(2037-2042).
26. **Shani, A., Polak, O. & N. Shashar.**
Artificial reefs and mass marine ecotourism. [Tourism Geographies]; 2012; 14(361-382).
27. **Schmitt, S., Tsai, P., Bell, J., Fromont, J. & M. Ilan.**

Assessing the complex sponge microbiota: core, variable and species-specific bacterial communities in marine sponges. [The ISME Journal]; 2012; 6(564-576).

28. **Siboni, N., Ben-Dov, E., Sivan, A. & A. Kushmaro.**
Geographic specific coral-associated ammonia-oxidizing archaea in the northern Gulf of Eilat (Red Sea). [Microb. Ecol.]; 2012; 64(18-24).
29. **Shenkar, N.**
Ascidian (Chordata, Ascidiacea) diversity in the Red Sea. [Mar. Biodiv.]; 2012; 42(459-469).
30. **Shnit-Orland, M., Sivan, A. & A. Kushmaro.**
Antibacterial activity of *Pseudoalteromonas* in the coral holobiont. [Microb. Ecol.]; 2012; 64(851-859).
31. **Staab, K.L., Holzman, R., Hernandez, L.P. & P.C. Wainwright.**
Independently evolved upper jaw protrusion mechanisms show convergent hydrodynamic function in teleost fishes. [J. Exp. Biol.]; 2012; 215(1456-1463).
32. **Yoffe, C., Lotan, T. & Y. Benayahu.**
A modified view on octocorals: *Heteroxenia fuscescens* nematocysts are diverse, featuring both an ancestral and a novel type. [PLoS One]; 2012; 7(e31902).
33. **Zarubin, M., Belkin, S., Ionescu, M. & A. Genin.**
Bacterial bioluminescence as a lure for marine zooplankton and fish. [PNAS]; 2012; 109(853-857).
34. **Zurel, D., Gophna, U. & Y. Benayahu.**
Parity and disparity between two Chama oysters: the reproductive biology of the Indo-Pacific *C. pacifica* Broderip, invasive to the Mediterranean Sea; and *C. savignyi* Lamy, indigenous to the Red Sea. [Mar. Ecol.]; 2012; 33(261-271).
35. **Zvuloni, A., Armoza-Zvuloni, R. & Y. Shaked.**
Feeding activity by the blenny *Exallias brevis* causes multifocal bleaching in corals: Reply to Carlson (2012). [Mar. Ecol. Prog. Ser.]; 2012; 463(301-303).